Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L53	21	virtual adj (machine processor) with (schedul$4) with (idle active in$active busy free sleep)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:19
L54	16	("5553291").URPN.	USPAT	OR	ON	2005/06/07 14:01
L55	1431	((713/320) or (713/323)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/06/07 14:02
L56	0	55 and (virtual adj (machine processor) with (partition slice slot interval period cycle))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:02
L57	0	55 and (virtual adj (machine processor) with (partition slice slot interval period cycle frame))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:02
L58	5	55 and (virtual adj (machine processor) with (idle sleep))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:03
L59	0	("6901522").URPN.	USPAT	OR	ON	2005/06/07 14:04
L60	7	("5615370" | "6122745" | "6131166" | "6141762" | "6269391" | "6711691" | "6732139").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/07 14:04
L61	14	(US-20020083110-$).did. or (US-5179702-$ or US-6269391-$ or US-6317872-$ or US-6374286-$ or US-6587937-$ or US-6732220-$ or US-5095427-$ or US-6567837-$ or US-5898855-$ or US-6408393-$ or US-6131166-$ or US-6901522-$ or US-6122745-$).did.	US-PGPUB; USPAT	OR	ON	2005/06/07 14:09
L62	11	61 and (suspend$3 sleep$3 idl$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:09
L63	8	virtual adj (machine processor) with (dormant quiescent)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:20
L64	1	virtual adj (machine processor) with (dormant quiescent) same power	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:22
L65	8	virtual adj (machine processor) with (dormant quiescent)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:28
L66	2	"20010037413"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:33

| L67 | 1 | ("6016495").PN. | US-PGPUB; USPAT | OR | OFF | 2005/06/07 14:33 |
| L68 | 30 | ("6016495").URPN. | USPAT | OR | ON | 2005/06/07 14:34 |

Google® site:citeseer.ist.psu.edu multiple jvm power ma Search Advanced Search
Preferences

Web Results **1 - 32** of about **35** from **citeseer.ist.psu.edu** for **multiple jvm power management**. **(0.29 second**

Citations: Quantifying the Energy Consumption of a Pocket Computer ...
To gather **power** statistics, we have fashioned a PC card sleeve as pictured ...
For example, such a **JVM** could be used on a portable or embedded device that ...
citeseer.ist.psu.edu/context/1400735/488574 - 22k - Cached - Similar pages

Citations: Omniware: A universal substrate for web programming ...
Virtual machines that are closer to native machines than **JVM**, such as Omniware [10,
... optimized for low **power** consumption nor a means of **power management**. ...
citeseer.ist.psu.edu/context/104409/485673 - 39k - Cached - Similar pages

Citations: Adaptive optimization in the Jalapeno JVM - Arnold ...
... uses about 1 of the area and **power**, and 33 ... Adaptive optimization in the Jalapeno
JVM. ... Modern virtual machines (VMs) often maintain **multiple** compiled versions ...
citeseer.ist.psu.edu/context/1698916/337595 - 50k - Supplemental Result - Cached - Similar pages

Access Control [CiteSeer; NEC Research Institute; Steve Lawrence ...
management management policy security policy policy conflicts access br These are
... 22 A Unified Framework for Enforcing **Multiple** Access Control Policies ...
citeseer.ist.psu.edu/Security/AccessControl/ - 95k - Cached - Similar pages

Citations: Network-aware Mobile Programs - Ranganathan, Acharya ...
Execution context can also be captured by extending the **JVM** to make thread state
... The Role Of Intelligent Mobile Agents In Network **Management** And.. ...
citeseer.ist.psu.edu/context/25379/143032 - 34k - Cached - Similar pages

Access Control [CiteSeer; NEC Research Institute; Steve Lawrence ...
93.6 A Unified Framework for Enforcing **Multiple** Access Control Policies - Jajodia
... Two br **Management** Agent Negotiation Access Control Digital Credentials ...
citeseer.ist.psu.edu/Security/ AccessControl/expected.html - 94k - Cached - Similar pages

Citations: Concurrency: Practice and Experience - Budimlic ...
... of garbage collection and thread **management** are delegated to the **JVM**.
Object inlining[2] is one **JVM** neutral optimization that can reduce the overhead of ...
citeseer.ist.psu.edu/context/470590/0 - 30k - Cached - Similar pages

Clusters [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...
The Compute **Power** Market (CPM) is a market-based resource **management** and job ...
Interconnecting **multiple** clusters with a high speed network to form a ...
citeseer.ist.psu.edu/Architecture/Clusters/date.html - 114k - Cached - Similar pages

Hardware [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...
processing **power** and video audio hardware configurations. ... The br **management**
On modern RISC hardware data copying consumes a ...
citeseer.ist.psu.edu/Hardware/expected.html - 135k - Cached - Similar pages

Operating Systems [CiteSeer; NEC Research Institute; Steve ...
We will describe br between the **JVM** and the operating system making ...
the implementation language operating system database **management** system ...
citeseer.ist.psu.edu/OperatingSystems/date.html - 132k - Cached - Similar pages

Citations: Motivated behaviour for goal adoption - Luck, d'Inverno ...

... According to Ott [18] **power** can be ... Execution in the engaging agent s **JVM** In this ... In
Multi-Agent Systems: Theories, Languages and Applications — Proceedings ...
citeseer.ist.psu.edu/context/1412066/516589 - 12k - Supplemental Result - Cached - Similar pages

Compression [CiteSeer; NEC Research Institute; Steve Lawrence ...
519.1 RCBR: A Simple and Efficient Service for **Multiple** Time-Scale Traffic ...
JVM applications include text compression MPEG decoding compilation ...
citeseer.ist.psu.edu/Compression/expected.html - 105k - Cached - Similar pages

Citations: Using Idle Workstations in a Shared Computing ...
In fact, for sequential or semi parallel (ie **multiple** tasks with no inter ...
Thus, the hidden unutilized computing **power** that has already been paid for is ...
citeseer.ist.psu.edu/context/20460/0 - 32k - Cached - Similar pages

Architecture [CiteSeer; NEC Research Institute; Steve Lawrence ...
The Java Virtual Machine (**JVM**) is the corner stone of Java technology, ...
deeper understanding of hardware architecture and memory **management**. ...
citeseer.ist.psu.edu/Architecture/date.html - 119k - Cached - Similar pages

Citations: Pathfinder: A pattern-based packet classifier - Bailey ...
FIRE Daemon Repository Snapshot C Wrapper JNI API **JVM** algorithm applet ... [3].
intelligent buffer **management**, so that the adapter can manage **multiple** ...
citeseer.ist.psu.edu/context/47519/135882 - 37k - Cached - Similar pages

Fault Tolerance [CiteSeer; NEC Research Institute; Steve Lawrence ...
Time-Sharing Parallel Jobs in the Presence of **Multiple** Resource. ... The **management**
of br distribution structure fault tolerance and security. The current ...
citeseer.ist.psu.edu/OperatingSystems/ FaultTolerance/date.html - 120k - Cached - Similar pages

alan messer - ResearchIndex document query
"**Power** to the process" Alan Messer and Tim Wilkinson 1 Systems Architecture ...
www.stanford.edu/~davidlie/Papers/jvm-hp.pdf Global Memory **Management** for a ...
citeseer.ist.psu.edu/cis?q=Alan+Messer - 19k - Cached - Similar pages

timothy j shimeall - ResearchIndex document query
Low **Power** Wireless Communication via Reinforcement Learning - Brown (2000) ...
Simulation, Routing And **Management** Gary Ogasawara Timothy Ju Sastri Kota ...
citeseer.ist.psu.edu/cis?q=Timothy+J.+Shimeall - 22k - Cached - Similar pages

Windows [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...
Windows and also support **multiple** br They are not supported by old ... CWin Win
s Windows and Windows NT are registered trademarks of br **JVM** and the ...
citeseer.ist.psu.edu/OperatingSystems/Windows/ - 126k - Cached - Similar pages

Architecture [CiteSeer; NEC Research Institute; Steve Lawrence ...
Simultaneous multithreading is a technique that permits **multiple** independent ...
The Java Virtual Machine (**JVM**) is the corner stone of Java technology, ...
citeseer.ist.psu.edu/Architecture/expected.html - 114k - Cached - Similar pages

Java [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...
This paper describes a memory **management** discipline for programs that perform
dynamic ... WebSQL takes advantage of **multiple** index servers without requir. ...
citeseer.ist.psu.edu/Programming/Java/ - 117k - Cached - Similar pages

Compiler Optimization [CiteSeer; NEC Research Institute; Steve ...
or **multiple** processors. The compilers on some machines may of br gives the operating
... data reuse cache conflicts compiler-directed cache **management** br ...
citeseer.ist.psu.edu/Programming/ CompilerOptimization/expected.html - 119k - Cached - Similar pages

Compiler Optimization [CiteSeer; NEC Research Institute; Steve ...

Kess is a Knowledge Database **Management** Systems (KBMS) that uses a . ... as **power**
co-estimation Target compiler object files for target br potentially be ...
citeseer.ist.psu.edu/Programming/ CompilerOptimization/date.html - 135k - Cached - Similar pages

Security [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...

for lifecycle **management** security transactions and event br and perhaps share
... into the **JVM** all safety and security properties of the Java platform br of ...
citeseer.ist.psu.edu/Security/ - 124k - Cached - Similar pages

Programming [CiteSeer; NEC Research Institute; Steve Lawrence ...

Programming Languages Language Constructs and br **management** D. . ... Expressive
Power of Declarative Programming Languages - Matsushita (1998) (Correct) ...
citeseer.ist.psu.edu/Programming/date.html - 135k - Cached - Similar pages

Citations: Bluetooth an Enabler of Personal Area Networking ...

... An Asynchronous **Power** Save Protocol for Wireless Ad Hoc ... an instance of a TDMA based
multi hop network ... or at least close to) a complete **JVM**: this assumption is ...
citeseer.ist.psu.edu/context/1885521/479216 - 23k - Supplemental Result - Cached - Similar pages

Hardware [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...

Multiple Access standard or hardware generated stream ciphers such as br ...
involve a **power** outage b hardware error and c software error. br concurrently. ...
citeseer.ist.psu.edu/Hardware/date.html - 134k - Cached - Similar pages

Encryption [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...

a message with **multiple** encryption methods alternating encryption br encryption
... **management** to map file names to encryption keys SFS file names br of a ...
citeseer.ist.psu.edu/Security/Encryption/date.html - 131k - Cached - Similar pages

james r mcskimin - ResearchIndex document query

JVM Concurrency Primitives John Hatcliff y James Corbett z Matthew Dwyer y Stefan
... **power** spectrum and input-output coherence function in response to ...
citeseer.ist.psu.edu/cis?q=James+R.+McSkimin - 22k - Cached - Similar pages

Citations: The typed access matrix model - Sandhu (ResearchIndex)

... are some systems where each data item has **multiple** .... of the security controls
in different **JVM** implementations ... because of its expressive **power** and conceptual ...
citeseer.ist.psu.edu/context/41564/127518 - 38k - Supplemental Result - Cached - Similar pages

Citations: Scheduling multithreaded computations by work stealing ...

... yet efficient, without even modifying the **JVM** We believe ... The **Power** of Two Random
Choices: A Survey of ... using an SPMD (single program, **multiple** data) programming ...
citeseer.ist.psu.edu/context/39978/4000 - 80k - Supplemental Result - Cached - Similar pages

Citations: A method for overlapping and erasure of lists - Collins ...

... the exact pause times, measured by the Jalapeno **JVM**. ... costs of memory and processing
power, and the ... **Multiple** Destination Bin Packing - Verweij (1996) (Correct). ...
citeseer.ist.psu.edu/context/36991/0 - 64k - Supplemental Result - Cached - Similar pages

*In order to show you the most relevant results, we have omitted some entries very similar to
the 32 already displayed.*
If you like, you can repeat the search with the omitted results included.

site:citeseer.ist.psu.edu multiple jvm [Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

. ©2005 Google

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20020099753"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 08:47
L2	2	(("6374286") or ("6317872")).PN.	US-PGPUB; USPAT	OR	OFF	2005/06/07 10:06
L3	1216	(718/100).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/06/07 10:07
L4	356	(718/1).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/06/07 10:07
L5	1046	(718/102).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/06/07 10:07
L6	312	(718/108).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/06/07 10:07
L7	6	virtual adj machine with (partition time adj (slice slot)) with (idle active in$active busy free)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 10:23
L8	18	("5095427").URPN.	USPAT	OR	ON	2005/06/07 10:17
L10	1	virtual adj machine with (partition time adj (slice slot)) same ((power energy) near2 manag$6)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 11:34
L11	1	virtual adj machine with (partition time adj (slice slot)) same ((power energy) with (conserv$6 manag$6 mode))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 10:24
L12	1	virtual adj machine with (partition time adj (slice slot)) same ((power energy) with (conserv$6 manag$6 mode consum$6))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 10:25
L13	1	virtual adj machine with (partition time adj (slice slot)) same ((power energy) with (conserv$6 manag$6 mode consum$6 sav$4))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 10:26
L14	2	virtual adj machine same (partition time adj (slice slot)) same ((power energy) with (conserv$6 manag$6 mode consum$6 sav$4))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 10:29
L15	111	virtual adj machine same ((power energy) with (conserv$6 manag$6 mode consum$6 sav$4))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 10:31
L16	73	15 and ((@ad < "20010120") or (@prad < "20010120") or (@rlad < "20010120"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 13:22

L17	5	virtual adj machine with (partition time adj (slice slot)) same (sleep idle power adj sav$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 11:40
L18	9	("6438573").URPN.	USPAT	OR	ON	2005/06/07 11:38
L19	1	virtual adj (machine processor) same (partition time adj (slice slot)) with (sleep power near (sav$4 low$4 mode)) with (idle free)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 11:44
L20	2	virtual adj (machine processor) same (partition time adj (slice slot)) with (sleep power near (sav$4 low$4 mode))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 11:45
L21	1	virtual adj (machine processor) and (partition time adj (slice slot)) with (sleep power near (sav$4 low$4 mode)) with (idle free)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 11:44
L22	8	virtual adj (machine processor) and (partition time adj (slice slot)) with (sleep power near (sav$4 low$4 mode))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 11:46
L23	2	(virtual adj (machine processor) jvm) same (partition time adj (slice slot)) with (sleep power near (sav$4 low$4 mode))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 11:49
L24	2	(virtual adj (machine processor) jvm) same (partition (time cpu processor) adj (slice slot frame)) with (sleep power near (sav$4 low$4 mode))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 11:49
L25	2	(virtual adj (machine processor) jvm) same (partition (time cpu processor) adj (slice slot frame)) with (sleep power near (sav$4 low$4 mode manag$6))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 11:50
L26	10	(virtual adj (machine processor) jvm) and (partition (time cpu processor) adj (slice slot frame)) with (sleep power near (sav$4 low$4 mode manag$6))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 11:50
L27	2	26 not 22	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 11:50
L33	8	("6131166").URPN.	USPAT	OR	ON	2005/06/07 11:57
L34	7	("5615370" | "6122745" | "6131166" | "6141762" | "6269391" | "6711691" | "6732139").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/07 12:03
L35	1431	((713/320) or (713/323)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/06/07 12:04

L36	0	35 and 4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 12:04
L37	32	35 and virtual adj machine	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 13:19
L38	2	virtual adj machine with load with (idle sleep suspend)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 13:21
L39	2	virtual adj machine with idle with (sleep suspend)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 13:22
L40	132	virtual adj machine with (partition time adj (slot frame slice))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 13:23
L41	68	40 and (((@ad < "20010120") or (@prad < "20010120") or (@rlad < "20010120"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 13:31
L42	276	virtual adj machine with (partition time adj (slot frame slice) period$3 cycl$4 interval)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 13:23
L43	15	virtual adj machine with (partition time adj (slot frame slice) period$3 cycl$4 interval) with (idl$4 sleep$3 suspend$3 in$active do near2 nothing)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 13:26
L44	4	virtual adj processor with (partition time adj (slot frame slice) period$3 cycl$4 interval) with (idl$4 sleep$3 suspend$3 in$active do near2 nothing)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 13:27
L45	0	jvm with (partition time adj (slot frame slice) period$3 cycl$4 interval) with (idl$4 sleep$3 suspend$3 in$active do near2 nothing)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 13:27
L46	24	virtual adj machine same power adj (mode manag$6)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 13:29

L47	1	virtual adj processor same power adj (mode manag$6)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 13:29
L48	6	jvm same power adj (mode manag$6)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 13:30
L49	66	partition same power adj (mode manag$6)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 13:30
L50	41	49 and (((@ad < "20010120") or (@prad < "20010120") or (@rlad < "20010120"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 13:38
L51	3	virtual adj machine with empty near3 queue	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 13:39
L52	7	virtual adj machine with no near2 work	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 13:39